

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech)  
Enterprises Co., Ltd.  
Facility: Taichung, Taiwan

AS COMPLYING WITH NSF/ANSI/CAN 61 AND ALL APPLICABLE REQUIREMENTS.  
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE  
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

August 9, 2023  
Certificate# C0048784 - 02

David Purkiss  
Vice President, Global Water Division

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech)  
Enterprises Co., Ltd.  
Taiwan

AS COMPLYING WITH NSF/ANSI 42, 58, NSF/ANSI/CAN 61 AND ALL APPLICABLE  
REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE  
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

July 11, 2023

Certificate# C0036360 - 03

David Purkiss

Vice President, Global Water Division

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

Certificate# C0036360 - 03

Vice President, Global Water Division



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech)  
Enterprises Co., Ltd.  
Facility: # 1 A Taiwan

AS COMPLYING WITH NSF/ANSI/CAN 61 AND ALL APPLICABLE REQUIREMENTS.  
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE  
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

August 9, 2023  
Certificate# C0171204 - 02

A handwritten signature in black ink, appearing to read "David Purkiss".

David Purkiss  
Vice President, Global Water Division

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech)  
Enterprises Co., Ltd.  
Facility: 1A - Taiwan

AS COMPLYING WITH NSF/ANSI 42 AND ALL APPLICABLE REQUIREMENTS.  
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE  
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

June 26, 2023  
Certificate# C0106965 - 02

David Purkiss  
Vice President, Global Water Division

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech)  
Enterprises Co., Ltd.  
Facility: 1A - Taiwan

AS COMPLYING WITH NSF/ANSI 42, 58, NSF/ANSI/CAN 61 AND ALL APPLICABLE  
REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE  
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

July 11, 2023

Certificate# C0106965 - 03

David Purkiss

Vice President, Global Water Division

# NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

Certificate# C0106965 - 03

Vice President, Global Water Division



This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in NSF's Official Listings for the referenced standards. For the most current and complete Listing information, please access NSF's website ([www.nsf.org](http://www.nsf.org)).

# IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

## CERTIFICATE OF CONFORMITY

*IAPMO R&T Oceana hereby grants to:*

**Swun Chyan Enterprises Co., Ltd.**

NO. 16, LANE 73, LIU GU ROAD, WUFONG DIST., TAICHUNG 413 Taiwan

*the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme; - Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity - Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.*

*Evaluated to:*

**AS 1357.2: 2005 (Inc. Amdts 1 & 2)**

Valves primarily for use in heated water systems - Control valves

**AS/NZS 2845.1-2010 (Inc. Amdt 1)**

Water supply - Backflow prevention devices - Materials, design and performance requirements

*Manufacturer:*

Swun Chyan Enterprises Co., Ltd.

**Licence No.:** WM-023133

**First Certified:** 03 Dec 2012

**Certification Date:** 29 Jun 2023

**Expiry Date:** 22 Jul 2027

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



# WATERMARK CERTIFICATE OF CONFORMITY

## SCHEDULE OF CERTIFIED PRODUCT



*Certificate Holder*

**Swun Chyan Enterprises Co., Ltd.**

**A.B.N.:**

NO. 16, LANE 73, LIU GU ROAD, WUFONG DIST., TAICHUNG 413 Taiwan

*Manufacturer*

**Swun Chyan Enterprises Co., Ltd.**

*Standards*

**AS 1357.2: 2005 (Inc. Amdts 1 & 2)**

Valves primarily for use in heated water systems - Control valves

**AS/NZS 2845.1-2010 (Inc. Amdt 1)**

Water supply - Backflow prevention devices - Materials, design and performance requirements

**Licence No. WM-023133**

**Certification Date: 29 Jun 2023**

**Expiry Date: 22 Jul 2027**


**First Certified: 03 Dec 2012**

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Outlet	Max Operating Pressure	Nominal Flow Rate	Material
SWUN CHYAN	LCV	Z-LCV-FPV-0104-125	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 850kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0104-40	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Set Pressure 275kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0104-50	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Set Pressure 350kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0104-60	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Set Pressure 400kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0104-70	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 500kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0104-80	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 550kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0104-125	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 860kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0308-40	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 275kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0308-50	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 350kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0308-60	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 400kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0308-70	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 500kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LCV	Z-LCV-FPV-0308-80	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 550kPa Push Fit End Connections 3/8"	DN 10	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Outlet	Max Operating Pressure	Nominal Flow Rate	Material
SWUN CHYAN	LV	Z-LV-FPV-0104-125	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 850kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-40	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 275kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-50	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 350kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-60	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 400kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-70	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 500kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-80	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 550kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LV	Z-LV-FPV-0304-40	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 300kPa Max. Inlet Pressure 1600kPa Max. Temp. 40Å°C 3/4" Male Threaded Ends	DN 20	3/4" push-fit	3/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN / PENTAIR	LV	Z-LV-FPV-0304-70	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 500kPa Max. Inlet Pressure 1600kPa Max. Temp. 40Å°C 3/4" Male Threaded Ends	DN 20	3/4" push-fit	3/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-125	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 860kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-40	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 275kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-50	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 350kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-60	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 400kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-70	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 500kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-80	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 550kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0104-100	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 690kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LV	Z-LV-FPV-0308-100	Pressure Limiting	Plastic Bodied Pressure Limiting Valve Set Pressure 690kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	7.5 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0104-100	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 690kPa Push Fit End Connections 1/4"	DN 8	1/4" push-fit	1/4" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM
SWUN CHYAN	LCV	Z-LCV-FPV-0308-100	Pressure Limiting	Plastic Bodied Pressure Limiting/Dual Check Valve (DualCV) Valve Set Pressure 690kPa Push Fit End Connections 3/8"	DN 20	3/8" push-fit	3/8" push-fit	1600 kPa	9 L/minute @ 700 kPa	POM

END RECORD

END RECORD

  
CEO, The IAPMO Group



## NSF Product and Service Listings

These NSF Official Listings are current as of Sunday, December 24, 2023 at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=C0048780&Standard=0618>

NSF/ANSI/CAN 61  
Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#). Click here for the definitions of [Water Contact Temperatures denoted in these Listings](#). Products certified to NSF/ANSI/CAN 61 comply with the health effects criteria in NSF/ANSI/CAN 600.

## Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech) Enterprises Co., Ltd.

No. 16, Lane 73, Lioupu Road  
Wufong Hsiang  
Taichung 41359  
Taiwan  
886 4 2332 7226  
[Visit this company's website](#)

Facility : # 1 A Taiwan

## Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Tubing[1]</b>			
Swun Tian T-XXXX-Y	1/8" - 5/8"	CLD 23	PE
T-XXXX-Y	1/8" - 5/8"	CLD 23	PE

[1] This product has been evaluated for use in Piping (Section 4) applications with the following length restrictions:

Diameter	Maximum Length
1/4"	44"
5/16"	34"
3/8"	28"
1/2"	19"
5/8"	16"

Certified for tubing with the following naming system:

XXXX - represents the outer diameter from 1/8" to 5/8" where:  
0402 - 1/4"  
0504 - 5/16"  
0604 - 3/8"  
0804 - 1/2"  
1008 - 5/8"

Y - represents the available colors  
W - White  
Y - Yellow  
B - Black  
L - Blue  
N - Natural  
R - Red  
O - Orange

Facility : Taichung, Taiwan

## Mechanical Plumbing Devices

## Trade Designation

## Miscellaneous Faucet Components[1] [2]

Z-LV-FPV-XXXX-YY

[1] XXXX - Tube O.D. size

0104 - 1/4" inlet and outlet  
0308 - 3/8" inlet and outlet

YY - FVW control rating (25, 40, 50, 60, 70, 80, 90, 125)

[2] This product does not require a Q statistic. It is made from material or materials that do not require lead analysis when reviewed per NSF/ANSI/CAN Standard 61, Section 3.3.

## Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b>			
Swun Chyan Quick Connect Fittings Bulkhead Union Z-Q-2044	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Bulkhead Union Z-Q-2046	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Bulkhead Union Z-Q-2066	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Feed Water Connector Z-Q-HFAD408	1/2" x 1/4" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Feed Water Connector Z-Q-HFAD408-S	1/2" x 1/4" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Feed Water Connector Z-Q-HFAD406	3/8" x 3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Feed Water Connector Z-Q-HFAD408	1/2" x 3/8" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Feed Water Connector Z-Q-HFAD608-S	1/2" x 3/8" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-254-716	1/4" x 7/16"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-254	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-2548	1/4" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-256-716-12	3/8" x 7/16"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-256-716-8	3/8" x 7/16"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-256-716	3/8" x 7/16"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-2566	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Adaptor Z-Q-2568	3/8" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Female Elbow Z-Q-4042	1/4" x 1/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Branch Tees Z-Q-4044	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Branch Tees Z-Q-4064	3/8" x 1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Branch Tees Z-Q-4066	3/8" x 3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1042	1/4" x 1/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1044	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1046	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1064	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1066	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1086	1/2" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Connectors Z-Q-1088	1/2" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4042	1/4" x 1/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4042 B	1/4" x 1/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4044	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4046	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4064	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4066	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4068	3/8" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4086	1/2" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Elbows Z-Q-4088	1/2" x 1/2"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Reducing Tees Z-Q-7644	3/8" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Male Run Tee Z-Q-7544	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Adaptor Z-S40404	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Adaptor Z-S40406	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Adaptor Z-S40604B	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Adaptor Z-S40604	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Adaptor Z-S40606	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Branch Tees Z-Q-S8T6044	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Branch Tees Z-Q-S8T6066	3/8" x 3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Elbow Z-Q-S6404	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Elbow Z-Q-S6406	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Elbow Z-Q-S6406A	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Elbow Z-Q-S6406B	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Reducer Z-Q-SR1046	1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Reducer Z-Q-SR1064B	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Run Tees Z-Q-SRT7544	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Stem Run Tees Z-Q-SRT7566	3/8" x 3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Two Way Divider Z-Q-TW0404	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Two Way Divider Z-Q-TW0606	3/8" x 3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union B Reducing Elbows Z-Q-S044	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union B Reducing Elbows Z-Q-S064	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union B Reducing Elbows Z-Q-S066	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Connector Z-CV-Q1544	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Connector Z-CV-Q1566	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Connector Z-Q-1544	1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Connector Z-Q-1564	3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Connector Z-Q-1566	3/8" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Tees Z-Q-7044	1/4" x 1/4" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Tees Z-Q-7046	1/4" x 3/8" x 1/4"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Tees Z-Q-7064	3/8" x 1/4" x 3/8"	CLD 23	MLTPL
Swun Chyan Quick Connect Fittings Union Tees Z-Q-7066	3/8" x 3/8" x 3/8"	CLD 23	MLTPL

Number of matching Manufacturers is 1

Number of matching Products is 71

Processing time was 0 seconds



## NSF Product and Service Listings

These NSF Official Listings are current as of Tuesday, January 16, 2024 at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/DWTU/Listings.asp?Standard=042&Company=C0036360&>

Note: Certain claims, such as Arsenic (Pentavalent) Reduction, appear as active links, allowing you to access additional information regarding the specific contaminants.

### NSF/ANSI 42 Drinking Water Treatment Units - Aesthetic Effects

#### Swun Chyan GROUP (Swun Yuan / Swun Yuan Filmtech) Enterprises Co., Ltd.

No. 16, Lane 73, Liougu Road  
Wufong Hsiang  
Taichung 41359  
Taiwan  
886 4 2333 7226  
[Visit this company's website](#)

Facility : 1A - Taiwan

##### COMPONENTS: Filter Cartridges

1FCTO-LL-WX-ZZZ[4] [9] [Pb]  
F-K33-I2-GAC[1]  
F-K33-YY-GAC-Q[1] [2]  
F-T33-YY-GAC[1] [2] [3]  
F-T33-YY-GAC-Q[1]  
F-UDF-WW-LL[4] [5]  
F-UDFB-WW-LL[4] [6]  
FBC-LL-WX-ZZZ[7] [8]  
FCTO-LL-WX-ZZZ[4] [9] [Pb]  
FDX-LL-WX-ZZZ[7] [8]  
FGC-LL-WX-ZZZ[7] [8]  
FPC1-LL-XW[4] [10]  
FPC2-LL-XW[4] [10]  
FPP-LL-WX-ZZZ[7] [8]  
Swun Yuan FBC-LL-WX-ZZZ[7] [8]  
Swun Yuan FDX-LL-WX-ZZZ[7] [8]  
Swun Yuan FGC-LL-WX-ZZZ[7] [8]  
Swun Yuan FPP-LL-WX-ZZZ[7] [8]

- [1] Conforms to the material and structural integrity requirements only.  
[2] YY - Length (5", 6", 10", 11")  
[3] Q - Quick Connect.  
[4] Certified for material requirements only.  
[5] F-UDF-WW-LL where:  
WW - Outer Diameter (in)  
LL - Length (in)  
Outer Diameter of 2.81in can have a length of 5 in, 9 in, 9.5 in, 10 in, and 20 in.  
Outer Diameter of 2.82in can have a length of 5 in, 9 in, 9.5 in, 10 in, and 20 in.  
[6] F-UDFB-WW-LL where:  
WW - Outer Diameter (in)  
LL - Length (in)  
Outer diameter of 4.6 in, has length of 10 in or 20 in.  
[7] Conforms to material requirement only.  
[8] Where:  
LL - Length 1" - 70"  
W - Outer diameter 36 mm - 180 mm  
X - Inner diameter 20 mm - 120 mm  
ZZZ - Retention rating 1 micron - 100 microns  
[9] LL - Length (100-1004 mm)  
W - Outer Diameter (30-105 mm)  
X - Inner Diameter (13-50 mm)  
ZZZ - Retention Rating (0.5 - 10 um)  
Inner Diameter of 30mm has outer diameter of 63.5mm, has length of 5, 10, 20,30 or 40 inches. Inner Diameter of 38mm has Outer Diameter of 63mm, has length of 10 , 20,30 or 40 inches, Inner Diameter of 42mm has Outer Diameter of 69mm, has length of 10 or 20,30 or 40 inches, Inner Diameter of 50mm has outer diameter of 105mm, has length of 10, 20 inches.  
[10] LL - Length (5, 10, or 20 in) (when X = 63, 67 or 72 mm LL = 5, 10 or 20 in and when X = 113 mm LL = 10 or 20 in)  
X - Outer Diameter (63, 67, 72 or 113 mm)  
W - Inner Diameter (28 mm)  
Micron Rating = 0.5, 1, 5, 10, 25, or 50 um  
[Pb] Product also evaluated and determined to possess weighted average lead content of <0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Taichung, Taiwan

##### COMPONENTS: Filter Housings[1]

EG1-14WW  
YT-10BL  
YT1-05BL  
YT1-05WW  
YT1-14BL  
YT1-14WW  
YTB-10BB  
YTB-10BL  
YTB-10GB  
YTB-10WB  
YTB-10WW  
YTB-15BL  
YTB-15GB  
YTB-15WB  
YTB-20BB  
YTB-20BL  
YTB-20GB  
YTB-20WB  
YTB-20WW

- [1] Conforms to material and structural integrity requirements only.

NOTE: These components do not bear the NSF Mark. Evidence of Certification will appear on the manufacturer's literature and packaging.

Number of matching Manufacturers is 1  
Number of matching Products is 37  
Processing time was 0 seconds